Standard version

Headlamp flasher: With ignition switched on only.

Fog lamp: Switched on in combination with parking lamp, high beam and low beam.


Backup lamp: Only with ignition switched on and reverse gear engaged.

Standing lamp: Switched on separately left and right with ignition switched off.

These connections are in accordance with standard version

1,5 gr/ge gn


1st version



2nd version


Headlamp flasher: France, Italy version, special version 10.439

Headlamp flasher: With lamp switched off and ignition switched on similar to series; with parking lamp headlamp flasher with low beam (dimmer).




Headlamp flasher: Portugal version

Headlamp flasher: With high beam with ignition switched on; with low beam with parking lamp switched on.



1st version
Special version 10.427


Headlamp flasher: With low beam only.




2nd version Special version 10.439

Fog lamp: USA version, special version 10.940

Fog lamp: Switches only in connection with low beam — This connection is included in USA main harness.




1st version




2nd version

Fog lamp: Australia, France, Norway, Sweden, Switzerland version, special version 10.580

Fog lamp: Switches only in connection with parking lamp.




1st version




2nd version (except France)

Standing lamp: Japan version

Standing lamp: Can be switched-on on both sides only (installed by general importer).



1st version



2nd version

Standing lamp: Norway version, special version 011.128

Standing lamp: Both standing lamp positions are idle positions. Switch on parking lamp as standing lamp.


Backup lamp: Italy version, special version 11.076

Backup lamp: With lamps switched on and reverse gear

engaged only.

1st version

b 2 4 6 8 10 12 14 d



2nd version